

## GS 602 ONE COMPONENT ELASTIC FLOCK ADHESIVE – WB

### SAFETY DATA SHEET

SAFETY DATA SHEET according to Regulation (EU) 2015/830 (Annex II of REACH)

Preparation Date : 01.03.2016  
Revision Date : 24.11.2016  
Revision : 01

Page: 1/9

### SECTION 1. Identification

#### 1.1 Product identifier

**Product name** : GS 602 ONE COMPONENT ELASTIC FLOCK ADHESIVE – WB

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Industrial Applications for Textile Printing

#### 1.3 Details of the supplier of the safety data sheet

**Company Name** : Anadolu Kimya San.Tic.Ltd.Őti.  
**Company Address** : Akçaburgaz Mah. 3105. Sokak No: 8-12  
Esenyurt – ISTANBUL – TURKEY  
Telefon : +90 212 875 77 50 (3 lines)  
Fax : +90 212 875 08 22  
web : www.anadolukimya.com  
e-mail : info@anadolukimya.com

**1.4 Emergency telephone number** : +90 212 875 77 50 (3 lines)

### SECTION 2. Hazards Identification

#### 2.1 Classification of the substance or mixture according to Regulation (EC) No. 1272/2008 (CLP/GHS)

**Physical hazards** : Not classified  
**Health hazards** : Not classified  
**Enviromental hazards** : It is not harmful to the environment.

#### 2.2 Label Elements according to Regulation (EC) No. 1272/2008 (CLP/GHS)

No label elements required

**2.3 Other Hazards** : Not a PBT, vPvB substance as per the criteria of the REACH Ordinance.

## GS 602 ONE COMPONENT ELASTIC FLOCK ADHESIVE – WB

### SAFETY DATA SHEET

SAFETY DATA SHEET according to Regulation (EU) 2015/830 (Annex II of REACH)

Preparation Date : 01.03.2016  
Revision Date : 24.11.2016  
Revision : 01

Page: 2/9

### SECTION 3. Composition/Information on Ingredients

**3.1 Substance/mixture :** Preparation of water based polymer dispersion and additives (mixture).

Product /Ingredient name	Identifiers	%	Classification Regulation (EC) No. 1272/2008 (CLP)
Water based polymer dispersion	EC : - CAS : -	50-70	-
Diethylene glycol	EC : 203-872-2 CAS : 111-46-6	10-20	-
Water	EC : 231-791-2 CAS : 7732-18-5	10-20	-

### SECTION 4. First-Aid Measures

#### 4.1 Description of first aid measures:

*Inhalation;* The person should be removed into fresh air, it may be irritating in case of excessive inhalation. Consult a physician.

*Skin contact;* Wash with plenty of water and consult a doctor. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse.

*Eye contact;* Wash with plenty of water and consult a doctor.

*Swallowed;* Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

**4.2 Most important symptoms and effects, both acute and delayed:** It is not expected to pose a serious hazard under normal use conditions.

**4.3 Indication of any immediate medical attention and special treatment needed:** No data available

### SECTION 5. Fire-Fighting Measures

#### 5.1 Extinguishing media

**Suitable extinguishing media:** Water, Foam, Carbon Dioxide, Dry powder.

**Unsuitable extinguishing media:** No data available

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, dangerous combustion gases such as Carbon Oxides (CO<sub>x</sub>), Nitrogen Oxides (NO<sub>x</sub>) and other harmful substances may be released.

## GS 602 ONE COMPONENT ELASTIC FLOCK ADHESIVE – WB

### SAFETY DATA SHEET

SAFETY DATA SHEET according to Regulation (EU) 2015/830 (Annex II of REACH)

Preparation Date : 01.03.2016  
Revision Date : 24.11.2016  
Revision : 01

Page: 3/9

### 5.3 Advice for firefighters

Whenever necessary to extinguish a fire, use a full mask with oxygen tubing.

## SECTION 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse. In case of spilling on the floor, you may slide when stepped on.

### 6.2 Environmental precautions

The product should not be allowed to enter into soil, drain and wastewater.

### 6.3 Methods and material for containment and cleaning up

It must be cleaned using absorbent materials and filled into a appropriate container. It must be disposed of in accordance with local regulations. Keep wastes in suitable closed containers for this work.

### 6.4 Reference to other sections

For personal protection see section 8.

For disposal see section 13.

## SECTION 7. Handling and Storage

### 7.1 Precautions for safe handling

**Handling:** Do not handle without taking precautions. Wash hands thoroughly after handling. Opened containers should be carefully closed and kept upright to prevent spillage. It should be used in ventilated areas and should be consumed within 12 months after the production date.

**Environmental Precautions:** Do not allow material to contaminate sewer system. Avoid transfer into the environment.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry place. Keep containers dry and tightly closed. Store in ventilated place between (+5) and (+30) °C /(+41) and (+86)°F of temperature.

## GS 602 ONE COMPONENT ELASTIC FLOCK ADHESIVE – WB

### SAFETY DATA SHEET

SAFETY DATA SHEET according to Regulation (EU) 2015/830 (Annex II of REACH)

Preparation Date : 01.03.2016  
Revision Date : 24.11.2016  
Revision : 01

Page: 4/9

### 7.3 Specific end use(s)

No specific use other than those specified in Section 1.2 is predicted.

### SECTION 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

It does not contain any substances with an exposure limit.

#### 8.2 Exposure controls

**Appropriate engineering controls:** Sufficient ventilation should be provided in handling, storage and working areas. Make sure that the eye shower station is positioned close to the working area.

**Individual protection measures, such as personal protective equipment:**



**Respiratory:** In case of insufficient ventilation, wear suitable respiratory equipment.

**Eye/Face:** Wear splash goggles. Use equipment for eye protection tested and approved under appropriate government standards. Wear face shield if splashing hazard exists.

**Hands:** Wear protective gloves. Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

**Skin/Body:** Wear protective apron. Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled.

**Environmental exposure controls:** Do not discharge onto the ground or into water courses.

## GS 602 ONE COMPONENT ELASTIC FLOCK ADHESIVE – WB

### SAFETY DATA SHEET

SAFETY DATA SHEET according to Regulation (EU) 2015/830 (Annex II of REACH)

Preparation Date : 01.03.2016  
Revision Date : 24.11.2016  
Revision : 01

Page: 5/9

### SECTION 9. Physical and Chemical Properties

#### 9.1 Information on physical and chemical properties

<b>Appearance</b>	Viscous base
<b>Color</b>	Transparent
<b>Odour</b>	Very Faint
<b>pH</b>	7-8,5 (25 °C/ 77 °F)
<b>Boiling Point</b>	100 °C/ 212 °F
<b>Flash Point</b>	> 100 °C/ 212 °F
<b>Decomposition Temperature</b>	No data available
<b>Vapour Pressure</b>	No data available
<b>Density</b>	1,00 g/ cm <sup>3</sup> (25 °C/ 77 °F)
<b>Viscosity</b>	[(25 °C) sp: 7, rpm: 20 Brookfield] : 20.000 – 35.000 [mPa.s]
<b>Solubility</b>	Miscible
<b>Partition coefficient (n-octanol/water)</b>	No data available
<b>Flammability</b>	No data available
<b>Auto-ignition temperature</b>	No data available
<b>Explosive / oxidising properties</b>	There is no risk

## GS 602 ONE COMPONENT ELASTIC FLOCK ADHESIVE – WB

### SAFETY DATA SHEET

SAFETY DATA SHEET according to Regulation (EU) 2015/830 (Annex II of REACH)

Preparation Date : 01.03.2016  
Revision Date : 24.11.2016  
Revision : 01

Page: 6/9

### SECTION 10. Stability and Reactivity

**10.1 Reactivity:** In the condition of proper storing in original buckets, there is no risk of reactivity.

**10.2 Chemical stability:** The product is stable in the recommended storage conditions.

**10.3 Possibility of hazardous reactions:** Under normal conditions of use, there is no known hazardous reaction.

**10.4 Conditions to avoid:** Avoid heat, flame, and sparks.

**10.5 Incompatible materials:** No data available

**10.6 Hazardous decomposition products:** Products can be released in the event of a fire as specified in Section 5.2.

### SECTION 11. Toxicological Information

#### 11.1 Information on toxicological effects

**Acute inhalation toxicity :** LD50 Rat: > 2.000 mg/kg (OECD Guideline No.423)

No expecting any acute general toxic effects further to composition of product.

No known harmful and irritative effects with contact of skin and inhalation.

However avoid the contact with eyes and mouth.

### SECTION 12. Ecological Information

#### 12.1 Toxicity

**Fish toxicity:** LC50 (96h) > 100 mg/l (OECD Guideline No.203)

**Daphnia and other aquatic invertebrates toxicity:** No data available

**Algae toxicity:** No data available

## GS 602 ONE COMPONENT ELASTIC FLOCK ADHESIVE – WB

### SAFETY DATA SHEET

SAFETY DATA SHEET according to Regulation (EU) 2015/830 (Annex II of REACH)

Preparation Date : 01.03.2016  
Revision Date : 24.11.2016  
Revision : 01

Page: 7/9

**12.2 Persistence and degradability:** < 70 % (OECD Guideline No.302 B). The product is poorly biodegradable.

**12.3 Bioaccumulative potential:** No data available

**12.4 Mobility in soil:** No data available

**12.5 Results of PBT and vPvB assessment:** No data available

**12.6 Other adverse effects:** Disposal water can be purified through flocculation system. The product does not increase the rate of AOX of disposal water. The product does not contain harmful heavy metals and free nitrogen that can cause the consume of oxygen.

### SECTION 13. Disposal Considerations

#### 13.1 Waste treatment methods

Waste material should be disposed of in accordance with the Directive 2008/98 / EC on waste and local regulations. Empty containers may contain residues. For this reason, it should be treated like a full container.

### SECTION 14. Transport Information

ADR/RID, ADN, IMDG, ICAO/IATA : Not listed

**14.1 UN number:** No data available

**14.2 UN proper shipping name:** No data available

**14.3 Transporthazard class(es):** No data available

**14.4 Packing group:** No data available

**14.5 Environmental hazards:** It is not harmful to the environment.

## GS 602 ONE COMPONENT ELASTIC FLOCK ADHESIVE – WB

### SAFETY DATA SHEET

SAFETY DATA SHEET according to Regulation (EU) 2015/830 (Annex II of REACH)

Preparation Date : 01.03.2016  
Revision Date : 24.11.2016  
Revision : 01

Page: 8/9

**14.6 Special precautions for user:** Obtain special instructions before use.

**14.7 Transport in bulk according to Annex II of Marpol and IBC Code:** No data available

### SECTION 15. Regulatory Information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH) Annex XIV – List of substances subject to authorisation Substances of very high concern :**  
None of the components are listed.

#### 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

### SECTION 16. Other Information

The information given is designed only as a guidance for safe handling, usage, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification.

#### Revision

Updated in accordance with the provisions of REACH Annex II (EU No 2015/830).

#### Abbreviations and acronyms

CLP	Regulation ensures that the hazards presented by chemicals are clearly communicated to workers and consumers in the European Union through classification and labelling of chemicals.
GHS	Globally Harmonized System of Classification and Labelling of Chemicals
LD50	Dose required to kill half the members of a tested population after a specified test duration.
UN Number	Four-digit numbers that identify hazardous materials
MARPOL	International Convention for the Prevention of Pollution from Ships
IBC	Intermediate Bulk Container



## GS 602 ONE COMPONENT ELASTIC FLOCK ADHESIVE – WB

### SAFETY DATA SHEET

SAFETY DATA SHEET according to OSHA 29 CFR 1910.1200 HCS

Preparation Date : 01.03.2016  
Revision Date : 24.11.2016  
Revision : 01

Page: 9/9

REACH	Regulation of the European Union, adopted to improve the protection of human health and the environment from the risks that can be posed by chemicals, while enhancing the competitiveness of the EU chemicals industry.
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
IMDG Code	International Maritime Dangerous Goods Code
ICAO	Technical Instructions for the Safe Transport of Dangerous Goods by Air
IATA	International Air Transport Association Annual Report 2007

#### Key literature references

It is based on REGULATION (EC) No 1272/2008.